

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

### \* 1 Identification

- **Product Identifier**
- **Trade name: 860JF Part B Polyol**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information
- **Product Description** Polyurea Joint Filler
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
SIMIRON  
32700 Industrial Drive  
Madison Heights, MI 48071  
Phone: (248) 686-3600  
Fax: (248) 677-9325  
www.simiron.com
- **Emergency telephone number:** 800-535-5053

### \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS08 Health hazard

Carc. 2                    H351 Suspected of causing cancer.  
STOT RE 2                H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 Environment

Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2                H315 Causes skin irritation.  
Eye Irrit. 2A                H319 Causes serious eye irritation.  
Skin Sens. 1                H317 May cause an allergic skin reaction.  
Aquatic Acute 2            H401 Toxic to aquatic life.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07



GHS08



GHS09

- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
Ethylenediamine, ethoxylated and propoxylated

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**Titanium Dioxide  
diethylmethylbenzenediamine**Hazard statements:**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P280 Wear protective gloves.  
P280 Wear eye protection / face protection.  
P273 Avoid release to the environment.  
P264 Wash thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
P363 Wash contaminated clothing before reuse.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P391 Collect spillage.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Unknown acute toxicity:**

68.9 % of the mixture consists of component(s) of unknown toxicity.

**Classification system:****NFPA ratings (scale 0 - 4)****HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = *1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

**Hazard(s) not otherwise classified (HNOC):** None known

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

### \* 3 Composition/Information on Ingredients

· <b>Non-hazardous components:</b>		
CAS: 25265-71-8 RTECS: UB8765000	Dipropylene glycol	3-6%
· <b>Chemical characterization: Mixtures</b>		
· <b>Description:</b> Mixture: consisting of the following components.		
· <b>Dangerous Components:</b>		
CAS: 9082-00-2	Glycerol, propylene oxide, ethylene oxide polymer Eye Irrit. 2B, H320	60-80%
CAS: 26316-40-5	Ethylenediamine, ethoxylated and propoxylated ⚠ Eye Irrit. 2A, H319; Skin Sens. 1, H317	30-40%
CAS: 8001-79-4 RTECS: FI 4100000	Castor oil ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	5-10%
CAS: 13463-67-7	Titanium Dioxide ☠ Carc. 2, H351; ⚠ Acute Tox. 4, H332	1-5%
CAS: 1318-02-1	Zeolite (Crystalline Aluminosilicate) ⚠ Eye Irrit. 2A, H319; STOT SE 3, H335	3-4%
CAS: 68479-98-1	diethylmethylbenzenediamine ☠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2A, H319	1-5%

### \* 4 First-Aid Measures

- **Description of first aid measures:**
- **General information:**  
Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### \* 5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

· **Advice for firefighters:**

· **Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### \* 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Do not inhale gases / fumes / aerosols

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### \* 7 Handling and Storage

· **Handling**

· **Precautions for safe handling:**

Avoid contact with skin, eyes and clothing

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities:**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in a cool, dry place.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s):** No further relevant information available.

### \* 8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

· **Components with occupational exposure limits:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

· **Breathing equipment:**



NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

### \* 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Not determined.

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Alkaline

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** 101 °C (214 °F)

· **Flash point:** 183 °C (361 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 305 °C (581 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** 1 hPa (1 mm Hg)
- **Density @ 20 °C (68 °F):** 1.08 g/cm<sup>3</sup> (9.013 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.0 %
  - Solids content:** 43.1 %
- **Other information:** No further relevant information available.

**\* 10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No further relevant information available.

**\* 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

<b>LD/LC50 values that are relevant for classification:</b>		
<b>26316-40-5 Ethylenediamine, ethoxylated and propoxylated</b>		
Oral	LD50	>5.000 mg/kg (rat)
Dermal	LD50	<5.000 mg/kg (rabbit)
<b>8001-79-4 Castor oil</b>		
Oral	LD50	>4952 mg/kg (rat)
<b>13463-67-7 Titanium Dioxide</b>		
Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)
<b>1318-02-1 Zeolite (Crystalline Aluminosilicate)</b>		
Oral	LD50	>10.000 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rabbit)

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

<b>68479-98-1 diethylmethylbenzenediamine</b>		
Oral	LD50	738 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

- **Primary irritant effect:**
- **On the skin:**  
Irritant to skin and mucous membranes.  
May cause an allergic skin reaction.
- **On the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
(a) Although IARC has classified titanium dioxide as possible carcinogenic to human (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products which titanium dioxide is bound to other materials, such as in cosmetics or in paints."  
(b) OSHA does not regulate Titanium Dioxide as a carcinogen. However, under 29 CFR 1910.1200 the SDS must convey the fact that Titanium Dioxide is a potential carcinogen to rats.

13463-67-7	Titanium Dioxide	2B
1318-02-1	Zeolite (Crystalline Aluminosilicate)	3
1333-86-4	Carbon black	2B

- **NTP (National Toxicology Program):**  
None of the ingredients are listed.
- **OSHA-Ca (Occupational Safety & Health Administration):**  
None of the ingredients are listed.

### 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**  
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

<b>13463-67-7 Titanium Dioxide</b>	
EC50	>1000 mg/l (Water flea)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.  
Poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

(Contd. on page 8)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**


- **Waste treatment methods:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**\*14 Transport Information**

- **UN-Number:**
- **DOT** Non-Regulated Material
- **ADR, IMDG, IATA** UN3082
- **UN proper shipping name:**
- **DOT** Non-Regulated Material
- **ADR** UN3082 Environmentally hazardous substances, liquid, n.o.s. (diethylmethylbenzenediamine)
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethylmethylbenzenediamine), MARINE POLLUTANT
- **IATA** Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)

- **Transport hazard class(es):**
- **DOT**
- **Class:** Non-Regulated Material

· **ADR**



- **Class:** 9 (M6) Miscellaneous dangerous substances and articles
- **Label:** 9

· **IMDG, IATA**



- **Class:** 9 Miscellaneous dangerous substances and articles
- **Label:** 9
- **Packing group:**
- **DOT** Non-Regulated Material
- **ADR, IMDG, IATA** III
- **Environmental hazards:** Product contains environmentally hazardous substances: diethylmethylbenzenediamine

(Contd. on page 9)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

- **Special marking (ADR):** Symbol (fish and tree)
- **Special marking (IATA):** Symbol (fish and tree)
- **Special precautions for user:** Warning: Miscellaneous dangerous substances and articles
- **Danger code (Kemler):** 90
- **EMS Number:** F-A,S-F
- **Stowage Category** A
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:**

- **ADR**
- **Excepted quantities (EQ):** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

- **IMDG**
- **Limited quantities (LQ):** 5L
- **Excepted quantities (EQ):** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- **UN "Model Regulation":** UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIETHYLMETHYLBENZENEDIAMINE), 9, III

**\*15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Section 313 (Specific toxic chemical listings):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>TSCA (Toxic Substances Control Act):</b>
---

9082-00-2	Glycerol, propylene oxide, ethylene oxide polymer
26316-40-5	Ethylenediamine, ethoxylated and propoxylated
8001-79-4	Castor oil
13463-67-7	Titanium Dioxide
25265-71-8	Dipropylene glycol
68479-98-1	diethylmethylbenzenediamine
280-57-9	Triethylendiamin
1333-86-4	Carbon black

· <b>California Proposition 65:</b>
-------------------------------------

· <b>Chemicals known to cause cancer:</b>
---

13463-67-7	Titanium Dioxide
1333-86-4	Carbon black

· <b>Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients are listed.
-------------------------------------

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

· <b>Chemicals known to cause developmental toxicity:</b>		
None of the ingredients are listed.		
· <b>New Jersey Right-to-Know List:</b>		
13463-67-7	Titanium Dioxide	
1333-86-4	Carbon black	
· <b>New Jersey Special Hazardous Substance List:</b>		
1333-86-4	Carbon black	CA
· <b>Pennsylvania Special Hazardous Substance List:</b>		
None of the ingredients are listed.		
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
13463-67-7	Titanium Dioxide	A4
1333-86-4	Carbon black	A4
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
13463-67-7	Titanium Dioxide	
1333-86-4	Carbon black	

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS07   GHS08   GHS09

· **Signal word:** Warning

· **Hazard-determining components of labeling:**

Ethylenediamine, ethoxylated and propoxylated  
Titanium Dioxide  
diethylmethylbenzenediamine

· **Hazard statements:**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H401 Toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P280 Wear protective gloves.  
P280 Wear eye protection / face protection.  
P273 Avoid release to the environment.  
P264 Wash thoroughly after handling.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

P272	Contaminated work clothing must not be allowed out of the workplace.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P363	Wash contaminated clothing before reuse.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P391	Collect spillage.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**Date of preparation / last revision:** 03/17/2016 / 1**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B  
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
Carc. 2: Carcinogenicity, Hazard Category 2  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. on page 12)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/17/2016

Reviewed on 03/17/2016

**Trade name: 860JF Part B Polyol**

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1  
Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2  
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106