

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015

Reviewed on 03/16/2015

| Identification

- · Product identifier
- · Trade name: RokRez Pro Slip Resistant Additive
- · CAS Number:

9003-07-0

- · Relevant identified uses of the substance or mixture and uses advised against
- · Product description Slip Resistant Additive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SIMIRON

32700 Industrial Drive

Madison Heights, MI 48071

Phone: (866) 515-8775 Fax: (248) 677-9325

www.simiron.com

Emergency telephone number: Infotrac (800)535-5053

Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Non-Regulated Material
- Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0REACTIVITY | Reactivity = 0

Other hazards None known

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 9003-07-0 Polypropylene

First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact: Wash areas with soap and water.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Never give anything by mouth to an unconscious person.

If swallowed and symptoms occur, consult a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Product can be considered a nuisance dust which can have an explosive reaction if in high concentrations.

Carbon monoxide (CO)

Carbon dioxide (CO2)

- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Avoid breathing dust.

- · *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

- · Control parameters
- · Components with occupational exposure limits:
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: No special measures required.
- · Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

· Eye protection: Safety glasses

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Odor:
Odorless
Odor threshold:
Not determined.

Powder
White
Odorless
Not determined.

Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:
 Flash point:
 157 °C (315 °F)
 Not determined.
 Not applicable.

· Flammability (solid, gaseous): Product is not flammable.

Ignition temperature:

Decomposition temperature: Not determined.

• Auto igniting: Not determined.

· Danger of explosion: Dry or powdered ingredients are combustible. Dispersal of finely

divided dust from products into air may form mixtures that are ignitable and/or explosive. Minimize airborne dust generation and

eliminate sources of ignition.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not applicable.

• **Density @ 20 °C (68 °F):** 0.9 g/cm³ (7.511 lbs/gal)

Relative densityVapor densityNot determined.Not applicable.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

· **Evaporation rate** Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• Other information No further relevant information available.

10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:

Thermal decomposition will produce toxic oxides of carbon.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents, Chlorine, permanganates, e.g. potassium permanganate
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 va	lues that are r	elevant for a	classification:
--------------	-----------------	---------------	-----------------

9003-07-0 Polypropylene

Oral LD50 >110000 mg/kg (rat)

LD50 Intraperitoneal

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Ptosis. Behavioral: Convulsions or effect on seizure threshold.

Convuisions of effect off seizure time

Dermal LD50 >99000 mg/kg (rat)

LD50 Intravenous

Remarks: Behavioral: Tremor. Cyanosis Nutritional and Gross Metabolic: Changes in: Body temperature decrease.

- · Primary irritant effect:
- on the skin: No irritating effect.
- on the eye: No irritating effect.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

9003-07-0 Polypropylene



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

DOT, IMDG, IATA
 ADR
 Non-Regulated Material
 Non-Regulated Material

Not Regulated

· UN proper shipping name

· DOT, ADR, IMDG, IATA Non-Regulated Material

· Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class Non-Regulated Material

· Packing group

· **DOT, ADR, IMDG, IATA** Non-Regulated Material

• Environmental hazards: Not applicable. Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- Hazard statements Non-Regulated Material
- · National regulations:

Substance is not listed.

· State Right to Know

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<u>16 Ot</u>her information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision 03/16/2015 / -
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 03/16/2015 Reviewed on 03/16/2015

Trade name: RokRez Pro Slip Resistant Additive

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106